

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/336567563>

Copepod crustaceans parasitizing marine fish of the Kerala coast, India

Article in *Arthropoda Selecta* · November 2019

DOI: 10.15298/arthsel.28.4.05

CITATIONS

0

READS

422

6 authors, including:



O.K. Drisya

2 PUBLICATIONS 0 CITATIONS

[SEE PROFILE](#)



K. Rijin

Sree Narayana College

6 PUBLICATIONS 13 CITATIONS

[SEE PROFILE](#)



V. N. Ivanenko

Lomonosov Moscow State University

161 PUBLICATIONS 1,193 CITATIONS

[SEE PROFILE](#)



Sudha Kappalli

Central University of Kerala

52 PUBLICATIONS 379 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



A review of reef-dwelling Copepoda associated with corals, echinoderms and sponges of the Caribbean [View project](#)



A new insight into the Stygofauna Mundi: assembling a global dataset for aquatic fauna in subterranean environments. [View project](#)

Copepod crustaceans parasitizing marine fish of the Kerala coast, India

Веслоногие ракообразные, паразитирующие на рыбе прибрежья штата Керала, Индия

R.M.V. Nikhila¹, O.K. Drisya², K. Rijin², T.M.V. Mumthaz², A.K. Helna²,
Viatcheslav N. Ivanenko³, Sudha Kappalli^{1,2,*}
Р.М.В. Нихила¹, О.К. Дрисья², К. Рижин², Т.М.В. Мумтаз²,
А.К. Хелна², В.Н. Иваненко³, Судха Каппалли^{1,2,*}

¹ Department of Animal Science, School of Biological Sciences, Central University of Kerala, Kasaragod, 671316, Kerala, India.

² Post Graduate Department of Zoology and Research Centre, Sree Narayana College, Kannur, 670007, Kerala, India.

³ Department of Invertebrate Zoology, Faculty of Biology, Lomonosov Moscow State University, Moscow 119992, Russia.

³ Кафедра зоологии беспозвоночных, Биологический факультет, Московский государственный университет им. М.В. Ломоносова, Москва 119992, Россия

* Corresponding author: sudhakappalli@cukerala.ac.in

KEY WORDS: parasitic copepod, Siphonostomatoida, Cyclopoida, fish, Kerala, India.

КЛЮЧЕВЫЕ СЛОВА: паразитические веслоногие ракообразные, сифоностоматоиды, циклопоиды, рыбы, Керала, Индия.

ABSTRACT: Copepods parasitizing marine fish were collected along the Cochin and Malabar coasts (Kerala, India) of the Indian Ocean from July 2013 through February 2019. One hundred species of copepods from 31 genera in eight families, were found living on 85 species fish represented 65 genera in 34 families. Copepods of the order Siphonostomatoida were the dominant parasites; they belonged to five families (Caligidae, Lernaepodidae, Lernanthropidae, Pennellidae, and Pseudocycnidae), of which Caligidae and Lernanthropidae were the most diverse, comprising 29 species each (in eight and five genera, respectively). The genera *Caligus* and *Lernanthropus*, with 20 and 21 species, respectively, are the most diverse genera of siphonostomatoid copepods. All 26 species in nine genera of the poecilostome cyclopoids belong to the families Bomolochidae, Chondracanthidae and Ergasilidae. The great diversity of parasitic copepods living on fish suggests a need for a more thorough integrative study of the diversity, host specificity and ecology of these copepods, not only from fish along the Kerala coasts, but also along the other coasts of India.

How to cite this article: Nikhila R.M.V., Drisya O.K., Rijin K., Mumthaz T.M.V., Helna A.K., Ivanenko V.N., Kappalli S. 2019. Copepod crustaceans parasitizing marine fish of the Kerala coast, India // *Arthropoda Selecta*. Vol.28. No.4. P.529–544. doi: 10.15298/arthscl. 28.4.05

РЕЗЮМЕ: Копеподы, паразитирующие на морской рыбе, собирали в Индийском океане вдоль побережья Малабар и Кочин (штат Керала, Индия)

с июля 2013 г. по февраль 2019 г. Выявлено сто видов копепоид, относящихся к 31 роду восьми семейств, обитающих на 85 видах рыб, относящихся к 65 родами 34 семейств. Копеподы отряда Siphonostomatoida — преобладающие паразиты, относящиеся к пяти семействам: Caligidae, Lernaepodidae, Lernanthropidae, Pennellidae и Pseudocycnidae. Семейства Caligidae и Lernanthropidae — наиболее разнообразны, каждое из которых включает 29 видов и относящихся к восьми и пяти родам, соответственно. Роды *Caligus* и *Lernanthropus*, насчитывающие 20 и 21 видов — самые разнообразные рода сифоностоматоидных копепоид. Все 26 видов девяти родов поecilostомовых циклопоид относятся к семействам Bomolochidae, Chondracanthidae и Ergasilidae. Большое разнообразие копепоид, паразитирующих на рыбах, указывает на необходимость проведения тщательного комплексного исследования разнообразия, специфичности к хозяевам и экологии копепоид не только вдоль побережья Кералы, но и у берегов других районов Индии.

Introduction

Marine fish host a great diversity of parasitic invertebrates, among which copepods are significant [Tripathi, 1960, 1962a,b; Silas, Ummerkutty, 1967; Kabata, 1985; Pillai, 1985]. However, a comprehensive account of this crustacean group along the coasts of India is still in its infancy despite the important initial work on parasitic copepods carried out before the mid-1980s. The first records of copepods parasitizing fish in Indi-




Fig. 1. Map of the fishing area and fisherman landing centres (1–7) at the Kerala coast of India; 1 — Thaikadappuram, 2 — Madakkara, 3 — Azhikkal, 4 — Ayikkara, 5 — Chombala, 6 — Kalamukku, 7 — Thoppumpadi.

Рис. 1. Карта района рыбного промысла в прибрежных водах и центры приема улова (1–7) в штате Керала, Индия; 1 — Тайккадаппурам, 2 — Мадаккара, 3 — Ажиккал, 4 — Айиккара, 5 — Чомбала, 6 — Каламукку, 7 — Топпумпеди.

an waters were contributed by Bassett-Smith [1898a,b; 1899], who described several copepods from the Arabian Sea. Gnanamuthu [1947a,b,c; 1948a, b; 1949; 1950a,b,c; 1951, 1953] and Rangnekar [1956, 1957, 1959, 1960, 1961] investigated the diversity of parasitic copepods in the Bay of Bengal and the Arabian Sea, respectively. Additional information on copepods infesting the fish of the Indian coast was published by Rao [1950], Kurian [1955, 1961], Tripathi [1962], Sebastain [1964, 1966], Sebastian & George [1964], Bennet [1964, 1966, 1967], and Hameed & Pillai [1973], and a review of the parasitic copepods living on fishes of India was published by Kirtisinghe [1964]. Later, Hameed [1976] described new species of copepods of the genera *Lepeophtheirus* and *Lamproglena* that were found on fish along the southern coast of Kerala. Pillai recorded and described 59 new species of copepods in the southern part of Kerala in a series of publications from 1961 through 1985 (see Pillai, 1985). More recent studies have reported copepods living on marine fish of the south eastern part of the Indian coast [Vinoth *et al.*, 2010]. A description of ergasilid copepods

on the fish of the estuarine and fresh waters of Kerala was presented by Ho *et al.* [1992] and Santhosh [2000].

An analysis of the literature shows that most records of the parasitic copepods of India focus on the most southern part of the country, with little attention paid to the middle and northern part of the Kerala coast. Studies of the diversity of parasitic copepods living on the fish of the Cochin and Malabar coasts of Kerala is limited to a few reports [Aneesh *et al.*, 2013, 2014, 2018; Helna *et al.*, 2013, 2016, 2018; Rijin *et al.*, 2018]. The present paper represents the first review of the diversity of parasitic copepods living on the marine fish of the Cochin and Malabar coasts of Kerala, where we have collected since July 2013.

Material and methods

The fish were obtained from fishing boats at the landing centres of the Malabar (Ayikkara, Azhikkal, Chombala, Madakkara, and Thaikadappuram) and Cochin coasts (Kalamukku and Thoppumpadi) of Kerala from July 2013 through February 2019 (Fig. 1).

The fishing range covered by the boats is marked in Figure 1. The fish collected at Ayyikkara, Thaikkappuram and Madakkara were caught approximately 25–30 km offshore in night fishing using gillnets. The fish obtained from other centres (Azhikkal, Chombala, Kalamukku, and Thoppumpadi) were caught approximately 250 km offshore using gill nets, trawl nets and trawl lines.

After sampling, the bodies of the fish (the surface, lateral line region, base of the pectoral fin, branchial cavity and gill filaments, inner wall of the operculum, etc.) were thoroughly examined for the presence of parasitic copepods using a hand lens. The infected fish were then brought to the laboratory, where the copepods were removed from the fish under a dissection microscope (Leica Stereo zoom S6-D, Lieca Stereo zoom LAS X) and preserved in 70% ethanol. The identification of the copepods was conducted with the identification keys [Yamaguti, 1963; Kabata, 1985; Pillai, 1985]. Original descriptions of the species were consulted whenever possible. The updated taxonomy

of the copepods and their hosts was obtained from the WoRMS database [WoRMS, 2019], and the taxonomical identification of the fish hosts was made according to the FishBase [Froese, Pauly, 2019]. The collected copepods were stored at the Crustacean Research Laboratory of the Central University of Kerala, India.

Results

One hundred copepod species were found on 85 species of fish belonging to 65 genera and 34 families distributed along the Cochin and Malabar coasts of Kerala, India (Table 1, Fig. 2). Seventy-four species belong to the order Siphonostomatoida in the following families (with the number of species and genera): Caligidae (29 species in eight genera), Lernanthropidae (29 species in five genera), Lernaeopodidae (12 species in five genera), Pseudocycnidae (two species in two genera) and Pennellidae (two species in two genera). Among the genera, *Caligus* (Caligidae) and

Table 1. Marine fish-hosts of parasitic copepods from the Kerala coast of India.
Таблица 1. Морские рыбы — хозяева паразитических копепод из прибрежных вод штата Керала, Индия.

Fish-host family name	Fish-host species name	Parasitic copepod species name
Acanthuroidae	<i>Acanthurus mata</i> (Cuvier, 1829)	<i>Nothobomolochus trichiuri</i>
Ariidae	<i>Arius acutirostris</i> Day, 1877	<i>Caligus arii</i>
		<i>Hermilius pyriventris</i>
	<i>Netuma thalassina</i> (Rüppell, 1837)	<i>H. pyriventris</i>
Belonidae	<i>Ablennes hians</i> (Valenciennes, 1846)	<i>Lernanthropus belones</i>
	<i>Platybelone argalus</i> (Lesueur, 1821)	<i>Nothobomolochus gibber</i>
	<i>Strongylura incisa</i> (Valenciennes, 1846)	<i>N. gibber</i>
	<i>Strongylura leiura</i> (Bleeker, 1850)	<i>Bomolochus bellones</i>
		<i>Caligodes laciniatus</i>
		<i>Lernanthropus belones</i>
		<i>L. tylosuri</i>
		<i>Nothobomolochus gibber</i>
	<i>S. strongylura</i> (van Hasselt, 1823)	<i>Bomolochus bellones</i>
		<i>Dermoergasilus coleus</i>
		<i>Lernanthropus tylosuri</i>
		<i>Nothobomolochus gibber</i>
Carangidae	<i>Alepes djedaba</i> (Forsskål, 1775)	<i>Bomolochus decapteri</i>
		<i>Caligus constrictus</i>
		<i>Lernanthropus corniger</i>
		<i>L. giganteus</i>
	<i>A. kleinii</i> (Bloch, 1793)	<i>Caligus bonito</i>
	<i>Carangoides coeruleopinnatus</i> (Rüppell, 1830)	<i>Lernanthropus koenigii</i>
	<i>Caranx ignobilis</i> (Forsskål, 1775)	<i>Caligus rotundigenitalis</i>
	<i>C. sexfasciatus</i> Quoy et Gaimard, 1825	<i>Bomolochus multiceros</i>
		<i>Lernanthropus indicus</i>
	<i>Decapterus russelli</i> (Rüppell, 1830)	<i>Bomolochus selaroides</i>
		<i>Caligus kanagurta</i>
		<i>Lernanthropinus decapteri</i>

Table 1 (continued).
Таблица 1 (продолжение).

Fish-host family name	Fish-host species name	Parasitic copepod species name
Carangidae	<i>Megalaspis cordyla</i> (Linnaeus, 1758)	<i>Caligus cordyla</i>
		<i>Lernanthropus corniger</i>
	<i>Parastromateus niger</i> (Bloch, 1795)	<i>Bomolochus megaceros</i>
		<i>Lernaeenicus stromatei</i>
		<i>Synestius caliginus</i>
		<i>Thysanote appendiculata</i>
	<i>Scomberoides tol</i> (Cuvier, 1832)	<i>Bomolochus decapteri</i>
	<i>Selar crumenophthalmus</i> (Bloch, 1793)	<i>B. selaroides</i>
Cichlidae	<i>Etroplus suratensis</i> (Bloch, 1790)	<i>Caligus rotundigenitalis</i>
Clupeidae	<i>Anodontostoma chacunda</i> (Hamilton, 1822)	<i>Naobranchia cygniformis</i>
		<i>Peniculus fistula fistula</i>
		<i>Pseudorbitacolax varunae</i>
	<i>Escualosa thoracata</i> (Valenciennes, 1847)	<i>Ergasilus parvitergum</i>
	<i>Sardinella fimbriata</i> (Valenciennes, 1847)	<i>Clavellisa dussumieriae</i>
		<i>C. ilishae</i>
		<i>Mitrapus oblongus</i>
		<i>Pumiliopes squamosus</i>
	<i>S. longiceps</i> Valenciennes, 1847	<i>Clavellisa ilishae</i>
Coryphaenidae	<i>Coryphaena hippurus</i> Linnaeus, 1758	<i>Euryphorus nordmannii</i>
Dussumieriidae	<i>Dussumieria acuta</i> Valenciennes, 1847	<i>Lernanthropus dussumieria</i>
Engraulidae	<i>Coilia dussumieri</i> Valenciennes, 1848	<i>Clavellisa phasa</i>
	<i>Stolephorus baganensis</i> Hardenberg, 1933	<i>Mitrapus engraulis</i>
	<i>S. tri</i> (Bleeker, 1852)	<i>M. engraulis</i>
	<i>Thryssa malabarica</i> (Bloch, 1795)	<i>Bomolochus multicerus</i>
		<i>Clavellisa obcordatus</i>
		<i>Lernanthropinus decapteri</i>
		<i>Nothobomolochus multispinosus</i>
	<i>T. mystax</i> (Bloch et Schneider, 1801)	<i>Clavellisa obcordatus</i>
	<i>T. setirostris</i> (Broussonet, 1782)	<i>Nothobomolochus multispinosus</i>
Gerreidae	<i>Gerres erythrourus</i> (Bloch, 1791)	<i>Clavellisa obcordatus</i>
	<i>G. filamentosus</i> Cuvier, 1829	<i>Lernanthropus triangularis</i>
		<i>Nothobomolochus gerresi</i>
Hemiramphidae	<i>Hemiramphus far</i> (Forsskål, 1775)	<i>Bomolochus cuneatus</i>
	<i>H. lutkei</i> Valenciennes, 1847	<i>B. bellones</i>
		<i>B. cuneatus</i>
		<i>Lernanthropus tylosuri</i>
		<i>Nothobomolochus denticulatus</i>
	<i>Rhynchorhamphus malabaricus</i> Collette, 1976	<i>N. cypseluri</i>
Labridae	<i>Parajulis poecilepterus</i> (Temminck et Schlegel, 1845)	<i>Caligus triangularis</i>
Leiognathidae	<i>Equulites elongatus</i> (Günther, 1874)	<i>Lernanthropus leiognathi</i>
	<i>Eubleekeria splendens</i> (Cuvier, 1829)	<i>L. leiognathi</i>
	<i>Leiognathus brevisrostris</i> (Valenciennes, 1835)	<i>L. leiognathi</i>
		<i>Nothobomolochus quadriceros</i>

Table 1 (continued).
Таблица 1 (продолжение).

Fish-host family name	Fish-host species name	Parasitic copepod species name
Leiognathidae	<i>Leiognathus daura</i> (Cuvier, 1829)	<i>Lernanthropus leiognathi</i>
	<i>L. equulus</i> (Forsskål, 1775)	<i>L. leiognathi</i>
	<i>L. fasciatus</i> (Lacepède, 1803)	<i>L. leiognathi</i>
	<i>Nuchequula blochii</i> (Valenciennes, 1835)	<i>L. leiognathi</i>
	<i>Photopectoralis bindus</i> (Valenciennes, 1835)	<i>L. leiognathi</i>
	<i>Secutor insidiator</i> (Bloch, 1787)	<i>L. secutoris</i>
	<i>S. ruconius</i> (Hamilton, 1822)	<i>L. secutoris</i>
Lutjanidae	<i>Lutjanus sanguineus</i> (Cuvier, 1828)	<i>L. brevicephalus</i>
Megalopidae	<i>Megalops cyprinoides</i> (Broussonet, 1782)	<i>L. cadenati</i>
Menidae	<i>Mene maculata</i> (Bloch et Schneider, 1801)	<i>Lernanthropinus sphyraenae</i>
Mugilidae	<i>Gracilimugil argenteus</i> (Quoy et Gaimard, 1825)	<i>Nothobomolochus digitatus</i>
	<i>Mugil cephalus</i> Linnaeus, 1758	<i>Bomolochus nitidus</i>
		<i>Caligus rotundigenitalis</i>
		<i>Ergasilus rostralis</i>
Nemipteridae	<i>Scolopsis bimaculate</i> Rüppell, 1828	<i>Mitrapus oblongus</i>
Polynemidae	<i>Eleutheronema tetradactylum</i> (Shaw, 1804)	<i>Lernanthropus polynemi</i>
		<i>Parapetalus hirsutus</i>
		<i>Thysanote eleutheronema</i>
	<i>Leptomelanosoma indicum</i> (Shaw, 1804)	<i>Caligus longicaudatus</i>
		<i>Parapetalus hirsutus</i>
		<i>Caligus priacanthi</i>
Priacanthidae	<i>Priacanthus hamrur</i> (Forsskål, 1775)	<i>Norion priacanthi</i>
Pristigasteridae	<i>Opisthopterus tardoore</i> (Cuvier, 1829)	<i>Lernanthropus ilishae</i>
	<i>Pellona ditchela</i> Valenciennes, 1847	<i>L. opisthopteri</i>
	<i>Psettodes erumei</i> (Bloch et Schneider, 1801)	<i>Clavellisa obcordatus</i>
Psettodidae	<i>Psettodes erumei</i> (Bloch et Schneider, 1801)	<i>Ergasilus parvitergum</i>
		<i>Protochondracanthus alatus</i>
Scatophagidae	<i>Scatophagus argus</i> (Linnaeus, 1766)	<i>Caligus rotundigenitalis</i>
Sciaenidae	<i>Johnius glaucus</i> (Day, 1876)	<i>Lernanthropus sciaeni</i>
	<i>J. trachycephalus</i> (Bleeker, 1851)	<i>L. sciaeni</i>
	<i>Nibea maculata</i> (Bloch et Schneider, 1801)	<i>L. abitocephalus</i>
	<i>Otolithes cuvieri</i> Trewavas, 1974	<i>L. latis</i>
		<i>Parabrachiella otolithi</i>
		<i>Bomolochus multiceros</i>
	<i>Otolithes ruber</i> (Bloch et Schneider, 1801)	<i>Brachiella thynni</i>
		<i>Lernanthropus otolithi</i>
		<i>Parabrachiella albida</i>
Scombridae	<i>Auxis thazard thazard</i> (Lacepède, 1800)	<i>Caligus biseriodentatus</i>
	<i>Euthynnus affinis</i> (Cantor, 1849)	<i>C. amblygenitalis</i>
		<i>C. asymmetricus</i>
		<i>C. bonito</i>
		<i>C. coryphaenae</i>
		<i>C. cybii</i>
		<i>C. pelamydis</i>
		<i>C. regalis</i>
		<i>Pseudocycnus appendiculatus</i>

Table 1 (continued).
Таблица 1 (продолжение).

Fish-host family name	Fish-host species name	Parasitic copepod species name
Scombridae	<i>Rastrelliger kanagurta</i> (Cuvier, 1816)	<i>Caligus kanagurta</i>
		<i>Ceratocolax euthynni</i>
		<i>Naobranchia vermiformis</i>
		<i>Nothobomolochus kanagurta</i>
		<i>Orbitacolax aculeatus</i>
		<i>Pumiliopes jonesi</i>
	<i>Sarda orientalis</i> (Temminck et Schlegel, 1844)	<i>Caligus pelamydis</i>
	<i>Scomberomorus commerson</i> (Lacepède, 1800)	<i>C. bonito</i>
		<i>C. cybii</i>
		<i>C. infestans</i>
		<i>C. phipsoni</i>
		<i>Cybicola armatus</i>
		<i>Tuxophorus cybii</i>
	<i>Thunnus albacores</i> (Bonnaterre, 1788)	<i>Pseudocycnus appendiculatus</i>
	<i>T. tonggol</i> (Bleeker, 1851)	<i>P. appendiculatus</i>
Serranidae	<i>Epinephelus diacanthus</i> (Valenciennes, 1828)	<i>Sagum epinepheli</i>
Sillaginidae	<i>Sillago sihama</i> (Forsskal, 1775)	<i>Lernanthropus sillaginis</i>
Sparidae	<i>Argyrops filamentosus</i> (Valenciennes, 1830)	<i>L. triangularis</i>
		<i>Nothobomolochus multispinosus</i>
Sphyraenidae	<i>Sphyraena barracuda</i> (Edwards, 1771)	<i>N. denticulatus</i>
	<i>S. jello</i> Cuvier, 1829	<i>N. denticulatus</i>
	<i>S. obtusata</i> Cuvier, 1829	<i>N. denticulatus</i>
Stromateidae	<i>Pampus argenteus</i> (Euphrasen, 1788)	<i>Caligus stromatei</i>
		<i>Nothobomolochus tricerus</i>
Synodontidae	<i>Saurida tumbil</i> (Bloch, 1795)	<i>Abasia platyrostris</i>
	<i>S. undosquamis</i> (Richardson, 1848)	<i>Lernanthropinus temminckii</i>
		<i>L.s temminckii</i>
Terapontidae	<i>Rhynchopelates oxyrhynchus</i> (Temminck et Schlegel, 1842)	<i>L. villiersi</i>
Trichiuridae	<i>Lepturacanthussavala</i> (Cuvier, 1829)	<i>Brachiella trichiuri</i>
		<i>Lernanthropinus forficatus</i>
		<i>Nothobomolochus trichiuri</i>
	<i>Trichiurus lepturus</i> Linnaeus, 1758	<i>Brachiella trichiuri</i>
		<i>Caligus savala</i>
		<i>Lernanthropinus forficatus</i>
		<i>Nothobomolochus trichiuri</i>
Rachycentridae	<i>Rachycentron canadum</i> (Linnaeus, 1766)	<i>Parapetalus occidentalis</i>
		<i>Tuxophorus caligodes</i>

Lernanthropus (Lernanthropidae) were represented by 20 and 21 species, respectively (or 69 and 72% of the total discovered species of caligids and lernanthropids, respectively). Cyclopoid copepods (26 species) belonged to nine genera in the families Bomolochidae, Chondracanthidae and Ergasilidae, of which the most

diverse genera, *Bomolochus* and *Nothobomolochus*, include seven and 10 species, respectively. The checklist includes the synonymised names of the collected copepods and their hosts along with the previous records from the Indian coast. The great diversity of parasitic copepods and the recording of 91 new records of hosts




Fig. 2. Habitus of parasitic copepods infecting fish of the Kerala coast. A — *Hermilius pyrivertris* from *Netuma thalassina*, B — *Euryphorus nordmannii* from *Coryphaena hippurus*, C — *Norion priacanthi* from *Priacanthus hamrur*, D — *Lernanthropus tylosuri* from *Strongylura leiura*, E — *Abasia platyrostris* from *Saurida tumbil*, F — *Caligus rotundigenitalis* from *Etroplus suratensis*, G — *Synestius caliginus* from *Parastromateus niger*, H — *Parapetalus hirsutus* from *Eleutheronema tetradactylum*, I — *Caligodes laciniatus* from *Strongylura leiura*, J — *Pseudocycnus appendiculatus* from *Euthynnus affinis*, K — *Lernanthropus giganteus* from *Alepes djedaba*, L — *Nothobomolochus kanagurta* from *Rastrelliger kanagurta*, M — *Lernanthropus corniger* from *Megalaspis cordyla*, N — *Lernanthropus sphyraenae* from *Mene maculata*, O — *Cybicola armatus* from *Scomberomorus commerson*.

Рис. 2. Внешний вид паразитических копепод, заражающих рыбу в прибрежных водах штата Керала.

for 56 species of copepods demonstrate the need for a thorough, integrative study of the host specificity, diversity and ecology of these copepods from Kerala and other parts of India.

List of copepods parasitizing marine fish of the Cochin and Malabar coasts

("*") marks host of copepod previously unknown in India; "‡" marks fish marked in coral communities)

Subclass Copepoda Milne Edwards, 1830

Order Cyclopoida Burmeister, 1834

Family Bomolochidae Claus, 1875

Genus *Bomolochus* von Nordmann, 1832

Bomolochus bellones Burmeister, 1833

Material: 14 ♀♀, North Malabar (Ayikkara), 13.05.2016, on *Strongylura leiura*‡; 13 ♀♀, North Malabar (Ayikkara), 21.08.2016, on *S. strongylura*; 2 ♀♀, North Malabar (Madakkara), 30.10.2018, on *S. leiura*‡; 117 ♀♀, Cochin (Kalamukku), 6.05.2015, on *Hemiramphus lutkei**‡.

Records in India: South Kerala (Vizhinjam) [Pillai, Natarajan, 1977]; North Malabar (Ayikkara) [Aneesh, 2014]; on *Ablennes hians*, *Belone belone*, *B. svetovidovi*, *Platybelone argalus*, *Strongylura anastomella*, *S. incisa*, *S. leiura*, *S. marina*, *S. strongylura*, *S. timucu*, *S. urvillii*, *Tylosurus acus*, and *T. crocodilus*.

Bomolochus cuneatus Fraser, 1920

Material: 11 ♀♀, North Malabar (Azhikkal), 24.07.2013, on *Hemiramphus lutkei* (Valenciennes, 1847)*; 5 ♀♀, North Malabar (Azhikkal), 29.03.2014, on *H. far* (Forsskal, 1775)*‡.

Bomolochus decapteri Yamaguti, 1936

Material: 74 ♀♀, North Malabar (Ayikkara), 8.04.2014, on *Alepes djedaba**‡; 16 ♀♀, North Malabar (Ayikkara), 8.04.2014, on *Scomberoides tol* (Cuvier, 1832)*‡; 55 ♀♀, Cochin (Thoppumpadi) 14.12.2017, on *A. djedaba**.

Records in India: South Kerala (Vizhinjam) [Pillai, 1967]; North Malabar (Ayikkara) [Aneesh, 2014]; on *Carangoides malabaricus*.

Bomolochus megaceros Heller, 1865

Material: 138 ♀♀, North Malabar (Ayikkara), 8.02.2014; 113 ♀♀, Cochin (Kalamukku), 15.12.2015, 32 ♀♀, Cochin (Thoppumpadi), 13.07.2015, all on *Parastromateus niger**‡.

Records in India: Bombay [Basset-Smith, 1898a]; Chennai [Gnanamuthu, 1949]; South Kerala (Vizhinjam) [Pillai, 1967]; North Malabar (Ayikkara) [Aneesh, 2014]; on *Alepes djedaba*‡, *Caranx* sp., *Megalaspis cordyla*, *Mugil* sp., *Parastromateus niger*, and *Terapon theraps*.

Bomolochus multiceros Pillai et Natarajan, 1977

Material: 2 ♀♀, North Malabar (Ayikkara), 10.09.2016 on *Caranx sexfasciatus**‡; 50 ♀♀, Cochin (Kalamukku), 26.03.2015, on *Thryssa malabarica**; 108 ♀♀, Cochin (Kalamukku), 2.06.2015, on *Otolithes ruber**.

Records in India: South Kerala (Vizhinjam) [Pillai, Natarajan, 1977], on *Ariomma indicum*.

Bomolochus nitidus Wilson C.B., 1911

Material: 6 ♀♀, North Malabar (Azhikkal), 2.08.2015; 10 ♀♀, North Malabar (Ayikkara), 16.10.2015, all on *Mugil cephalus*.

Records in India: North Malabar (Ayikkara) [Aneesh, 2014], on *M. cephalus*.

Bomolochus selaroides Pillai, 1965

Material: 3 ♀♀, North Malabar (Ayikkara), 17.08.2016, on *Selar crumenophthalmus**; 32 ♀♀, Cochin (Thoppumpadi); 4.02.2016, on *Decapterus russelli**.

Records in India: South Kerala (Vizhinjam) [Pillai, 1967], on *Selaroides leptolepis*.

Genus *Ceratocolax* Vervoort, 1965

Ceratocolax euthynni Vervoort, 1965

Material: 12 ♂♂, North Malabar (Ayikkara), 8.10.2014, on *Rastrelliger kanagurta**.

Genus: *Nothobomolochus* Vervoort, 1962

Nothobomolochus cypseluri (Yamaguti, 1953)

Material: 3 ♀♀, North Malabar (Ayikkara), 12.12.2014, on *Rhynchorhamphus malabaricus**.

Records in India: South Kerala (Vizhinjam) [Pillai, Natarajan, 1977], on *Cheilopogon agoo*.

Nothobomolochus denticulatus (Bassett-Smith, 1898)

Material: 35 ♀♀, North Malabar (Ayikkara), 7.10.2015, on *Sphyræna barracuda**; 65 ♀♀, 7.10.2015, on *S. obtusata**; 77 ♀♀, Cochin (Kalamukku), 17.12.2015, on *S. jello*; 35 ♀♀, Cochin (Kalamukku), 12.05.2015, on *Hemiramphus lutkei**‡.

Records in India: South Kerala (Trivandrum) [Gnanamuthu, 1947c; Pillai, 1967], on *S. jello*; North Malabar (Ayikkara) [Aneesh, 2014], on *Hemiramphus far*.

Nothobomolochus digitatus Cressey in Cressey et Collette, 1970

Material: 9 ♀♀, North Malabar (Ayikkara), 13.06.2013, on *Gracilimugil argenteus**.

Nothobomolochus gerresi Pillai, 1973

Material: 44 ♀♀, North Malabar (Ayikkara), 16.03.2018; 39 ♀♀ (Kalamukku), 18.11.2015, all on *Gerres filamentosus*.

Records in India: South Kerala (Vizhinjam) [Pillai, 1973], on *G. filamentosus*.

Nothobomolochus gibber (Shiino, 1957)

Material: 1 ♀, North Malabar (Azhikkal), 5.11.2014, on *Platybelone argalus*‡; 2 ♀♀, North Malabar (Azhikkal), 29.03.2014, on *Strongylura incisa**; 1 ♀, North Malabar (Azhikkal), 8.07.2013, on *S. strongylura**; 1 ♀, North Malabar (Azhikkal), 8.04.2014, on *S. leiura**‡.

Records in India: South Kerala (Vizhinjam) [Pillai, Natarajan, 1977]; on *Ablennes hians*, *Belone belone*, *B. svetovidovi*, *Platybelone argalus*, *Tylosurus acus*, and *T. crocodilus*.

Nothobomolochus kanagurta (Pillai, 1965)

Material: 22 ♀♀, North Malabar (Ayikkara), 16.05.2016; 5 ♀♀, North Malabar (Thaikkadappuram), 24.02.2018; 17 ♀♀, North Malabar (Madakkara), 18.04.2018; 24 ♀♀, Cochin (Kalamukku), 5.10.2016; 19 ♀♀, Cochin (Thoppumpadi), 22.10.2016, all on *Rastrelliger kanagurta*.

Records in India: South Kerala (Vizhinjam) [Pillai, 1967]; North Malabar (Ayikkara) [Aneesh, 2014], on *R. kanagurta*.

Nothobomolochus multispinosus (Gnanamuthu, 1949)

Material: 1 ♀, North Malabar (Ayikkara), 17.03.2015, on *Thryssa malabarica**; 4 ♀♀, North Malabar (Azhikkal), 27.01.2017, on

*T. mystax**; 1 ♀, North Malabar (Azhikkal), 27.01.2017, on *Argyrops filamentosus**.

Records in India: South Kerala (Vizhinjam) [Gnanamuthu, 1947c, Chennai; Pillai, 1967d], on *Dussumieria acuta* and *Dussumieria elopsoides*.

Nothobomolochus quadriceros Pillai, 1973

Material: 22 ♀♀, North Malabar (Ayikkara), 20.06.2013, on *Leiognathus brevirostris**.

Records in India: South Kerala (Vizhinjam) [Pillai, 1973], on *Gazza minuta*.

Nothobomolochus tricerus (Bassett-Smith, 1898)

Material: 133 ♀♀, Cochin (Kalamukku), 18.03.2015; 38 ♀♀, Cochin (Thoppumpadi) 2.06.2015, all on *Pampus argenteus*.

Records in India: Bombay [Bassett-Smith, 1899]; South Kerala, Trivandrum [Gnanamuthu, 1947c, Chennai; Pillai, 1967]; North Malabar (Ayikkara) [Aneesh, 2014], on *P. argenteus*.

Nothobomolochus trichiuri Pillai et Natarajan, 1977

Material: 11 ♀♀, North Malabar (Ayikkara), 4.04.2016, on *Lepturacanthus savala*; 18 ♀♀, North Malabar (Ayikkara), 4.04.2016, on *Trichiurus lepturus*; 2 ♀♀, North Malabar (Ayikkara), 17.11.2016, on *Acanthurus mata**.

Records in India: South Kerala (Vizhinjam) [Pillai, Natarajan, 1977], on *L. savala*.

Genus *Orbitacolax* Shen, 1957

Orbitacolax aculeatus (Pillai, 1962)

Material: 30 ♀♀, North Malabar (Ayikkara), 25.04.2014, on *Rastrelliger kanagurta*.

Records in India: South Kerala (Vizhinjam) [Pillai, 1967], on *R. kanagurta*.

Genus *Pseudorbitacolax* Pillai, 1971

Pseudorbitacolax varunae (Bennet, 1968)

Material: 188 ♀♀, North Malabar (Ayikkara), 6.04.2015; 2 ♀♀, North Malabar (Thaikkadappuram), 2.02.2018; 12 ♀♀, North Malabar (Madakkara), 4.09.2018; 147 ♀♀, Cochin (Kalamukku), 14.07.2015, all on *Anodontostoma chacunda*.

Records in India: South Kerala (Kochi) [Bennet, 1966; Pillai, 1971], on *A. chacunda*.

Genus *Pumiliopes* Shen, 1957

Pumiliopes jonesi (Bennet, 1968)

Material: 1002 ♀♀, North Malabar (Ayikkara), 2.06.2014, on *Rastrelliger kanagurta*.

Records in India: Malabar, Calicut [Bennet, 1967], on *R. kanagurta*.

Pumiliopes squamosus Cressey & Boyle, 1973

Material: 12 ♀♀, North Malabar (Ayikkara), 14.05.2015 on *Sardinella fimbriata*.

Records in India: North Malabar (Ayikkara) [Aneesh, 2014], on *S. fimbriata*.

Family Chondracanthidae Milne Edwards, 1840

Genus *Protochondracanthus* Kirtisinghe, 1950

Protochondracanthus alatus (Heller, 1865)

Material: 4 ♀♀, North Malabar (Ayikkara), 14.07.2018, on *Psettodes erumei*.

Records in India: Bombay [Basset-Smith, 1898a]; South Kerala (Vizhinjam) [Pillai, 1967]; on *P. erumei*.

Genus *Dermoergasilus* Ho et Do, 1982

Dermoergasilus coleus (Cressey in Cressey et Collette, 1970)

Material: 3 ♀♀ North Malabar (Ayikkara), 8.07.2013, on *Strongylura strongylura**.

Family Ergasilidae Burmeister, 1835

Genus *Ergasilus* Nordmann, 1832

Ergasilus parvitergum Ho, Jayarajan et Radhakrishnan, 1992

Material: 9 ♀♀, Cochin (Kalamukku), 7.08.2017, on *Psettodes erumei**; 37 ♀♀, Cochin (Kalamukku), 9.10.2017, on *Escualosa thoracata**.

Records in India: South Kerala [Ho et al., 1992], on *Carangoides malabaricus* and *Etroplus suratensis*.

Ergasilus rostralis Ho, Jayarajan et Radhakrishnan, 1992

Material: 140 ♀♀, Cochin (Kalamukku), 18.06.2015, on *Mugil cephalus**.

Records in India: South Kerala [Ho et al., 1992], on *Liza macrolepis*, *L. tade* and *Valamugil seheli*.

Order Siphonostomatoida Thorell, 1859

Family Caligidae Burmeister, 1835

Genus *Abasia* Wilson C.B., 1908

Abasia platyrostris Pillai, 1963

Material: 21 ♀♀, North Malabar (Madakkara), 12.05.2018, on *Saurida tumbil*.

Records in India: South Kerala (Vizhinjam) [Pillai, 1967], on *S. tumbil* and *Synodus indicus*.

Genus *Caligodes* Heller, 1865

Caligodes laciniatus (Krøyer, 1863)

Material: 28 ♀♀, North Malabar (Ayikkara), 4.11.2017, on *Strongylura leiura**.

Records in India: Indian coast [Rangnekar, 1959; Pillai, 1961], on *Ablennes hians*, *Platybelone argalus argalus*, *Strongylura leiura*, *S. strongylura*, *Tylosurus acus*, *T. chorram*, and *T. crocodilus*; North Malabar (Ayikkara) [Aneesh, 2014], on *S. strongylura*.

Genus *Caligus* Müller, 1785

Caligus amblygenitalis Pillai, 1961

Material: 9 ♀♀, North Malabar (Ayikkara), 8.10.2014, on *Euthynnus affinis*.

Records in India: South Kerala (Vizhinjam) [Pillai, 1967]; Indian coast [Silas, Ummerkutty 1967], on *E. affinis*.

Caligus arii Bassett-Smith, 1898

Material: 12 ♀♀, North Malabar (Ayikkara), 11.10.2013 on *Arius acutirostris*.

Records in India: North Malabar (Ayikkara) [Aneesh, 2014], on *A. acutirostris*; South Kerala (Vizhinjam) [Pillai, 1970], on *A. acutirostris* and *Plicofollis dussumieri*.

Caligus asymmetricus Kabata, 1965

Material: 14 ♀♀, North Malabar (Ayikkara), 14.11.2014, on *Euthynnus affinis*.

Records in India: South Kerala (Vizhinjam) [Pillai, 1967], on *E. affinis*, *E. alletteratus*, *Grammatorcynus bilineatus*, and *Sarda orientalis*.

Caligus biseriodentatus Shen, 1957

Material: 8 ♀♀, North Malabar (Ayikkara), 13.02.2015, on *Auxis thazard*.

Records India: South Kerala (Vizhinjam) [Pillai, 1967]; North Malabar (Ayikkara) [Silas, Ummerkutty, 1967; Aneesh, 2014], on *A. thazard*.

Caligus bonito Wilson, 1905

Material: 4 ♀♀, North Malabar (Ayikkara), 17.08.2016, on *Alepes kleinii**; 16 ♀♀, North Malabar (Ayikkara), 10.08.2017, on *Euthynnus affinis*; 6 ♀♀, North Malabar (Madakkara), 6.01.2018, on *E. affinis*; 42 ♀♀, Cochin (Kalamukku), 8.02.2016, on *Scomberomorus commerson**; 17 ♀♀ (Thoppumpadi), 10.02.2016, on *S. commerson**.

Records in India: Malabar (Calicut) [Thomas, 1967], on *E. affinis*; South Kerala (Vizhinjam) [Pillai, 1969], on *E. affinis*; North Malabar (Ayikkara) [Aneesh, 2014], on *Mugil curema*; South Kerala (Vizhinjam) [Silas, Ummerkutty 1967], on *Sarda orientalis*.

Caligus constrictus Heller, 1865

Material: 37 ♀♀, North Malabar (Ayikkara), 8.04.2014, on *Alepes djedaba**.

Records in India: Bombay [Rangnekar, 1956]; South Kerala (Vizhinjam) [Pillai, 1967], on *Alectis indica*, *Carangoides malabaricus*, and *Stromateus* sp.

Caligus cordyla Pillai, 1963

Material: 6 ♀♀, North Malabar (Ayikkara), 25.06.2015, on *Megalaspis cordyla**.

Records in India: South Kerala (Vizhinjam) [Pillai, 1967]; North Malabar (Ayikkara) [Aneesh, 2014], on *M. cordyla*.

Caligus coryphaenae Steenstrup et Lütken, 1861

Material: 2 ♀♀, North Malabar (Ayikkara), 4.12.2014, on *Euthynnus affinis*.

Records in India: India [Bassett-Smith, 1899; Kurian, 1961; Pillai, 1963a], on *Acanthocybium solandri*, *Caranx hippos*, *C. melampygus*, *Coryphaena hippurus*, *Elagatis bipinnulata*, *Euthynnus affinis*, *E. alletteratus*, *Grammatorcynus bilineatus*, *Katsuwonus pelamis*, *Prionace glauca*, *Rachycentron canadum*, *Sarda orientalis*, *Seriola lalandi*, *Squalus acanthias*, *Thunnus albacares*, *T. obesus*, and *T. thynnus*.

Caligus cybii Bassett-Smith, 1898

Material: 111 ♀♀, North Malabar (Ayikkara), 14.07.2018, on *Scomberomorus commerson*; 74 ♀♀, North Malabar (Ayikkara), 1.03.2016, on *Euthynnus affinis**; 25 ♀♀, Cochin (Kalamukku), 9.06.2017, on *E. affinis**; 10 ♀♀, Cochin (Thoppumpadi), 10.06.2017, on *E. affinis**.

Records in India: South Kerala (Vizhinjam) [Pillai, 1967]; North Malabar (Ayikkara) [Silas, Ummerkutty, 1967, Chennai; Aneesh, 2014], on *S. commerson*, and *S. lineolatus*.

Caligus infestans Heller, 1865

Material: 1 ♀, North Malabar (Ayikkara), 21.11.2014, on *Scomberomorus commerson*.

Records in India: India [Basset-Smith, 1898b, Pillai, 1969], on *Euthynnus alletteratus* and *S. commerson*.

Caligus kanagurta Pillai, 1961

Material: 7 ♀♀, North Malabar (Ayikkara), 17.08.2017, on *Rastrelliger kanagurta*; 1 ♀, North Malabar (Madakkara), 28.08.2018, on *R. kanagurta*; 32 ♀♀, Cochin (Thoppumpadi), 4.02.2016, on *Decapterus russelli**.

Records in India: South Kerala (Vizhinjam) [Pillai, 1967]; South Kerala (Vizhinjam) [Silas, Ummerkutty, 1967]; North Malabar (Ayikkara) [Aneesh, 2014], on *R. kanagurta*.

Caligus longicaudatus Brady, 1899

Material: 6 ♀♀, Malabar, Chombala, 17.11.2016, on *Leptomelanosoma indicum**.

Records in India: South Kerala (Vizhinjam) [Basset-Smith, 1898a; Pillai, 1967d]; on *Chirocentrus dorab* and *Trichiurus lepturus*.

Caligus pelamydis Krøyer, 1863

Material: 16 ♀♀, North Malabar (Ayikkara), 26.10.2017, on *Sarda orientalis**; 33 ♀♀, North Malabar (Ayikkara), 8.10.2014, on *Euthynnus affinis**.

Caligus phipsoni Bassett-Smith, 1898

Material: 4 ♂♂, North Malabar (Ayikkara), 15.05.2015, on *Scomberomorus commerson**.

Records in India: Bombay [Bassett-Smith 1898a]; South Kerala (Vizhinjam) [Pillai, 1963b]; on *Eleutheronema tetradactylum*, *Plectropomus leopardus*, *Polydactylus plebeius*, and *Scomberomorus guttatus*.

Caligus priacanthi Pillai, 1961

Material: 177 ♀♀, 1 ♂, North Malabar (chombala), 12.03.2016; 42 ♀♀, North Malabar (Azhikkal), 19.04.16; 6 ♀♀, North Malabar (Madakkara), 11.03.2019; 53 ♀♀ (Kalamukku), 26.10.2015; 11 ♀♀, Cochin (Thoppumpadi), 27.10.2015, all on *Priacanthus hamrur*.

Records in India: Bombay [Pillai, 1967], on *P. hamrur*.

Caligus regalis Leigh-Sharpe, 1930

Material: 7 ♀♀, North Malabar (Ayikkara), 21.05.2015, on *Euthynnus affinis**.

Caligus rotundigenitalis Yü, 1933

Material: 9 ♀♀, 4 ♂♂, North Malabar (Thaikadappuram), 1.02.2018, on *Caranx ignobilis**; 15 ♀♀, North Malabar (Madakkara), 8.03.2018, on *C. ignobilis**; 205 ♀♀, 17 ♂♂, North Malabar (Madakkara), 27.02.2018, on *Etroplus suratensis**; 58 ♀♀, North Malabar (Madakkara), 27.02.2018, on *Scatophagus argus*; 32 ♀♀, Cochin (Kalamukku), 5.12.2018, on *Mugil cephalus**.

Records in India: Bombay [Rangnekar 1959]; South Kerala [Pillai, Natarajan, 1977], on *Gnathanodon speciosus*, *Lutjanus malabaricus* and *S. argus*.

Caligus savala Gnanamuthu, 1948

Material: 9 ♀♀, Cochin (Kalamukku), 3.10.2016; 6 ♀♀, Cochin (Thoppumpadi), 15.10.2016, all on *Trichiurus lepturus*.

Records in India: South Kerala (Vizhinjam) [Gnanamuthu, 1948a, Chennai, Pillai, 1969], on *Euthynnus affinis*, *Gaterin lineatus*, *Lepturacanthus savala*, and *T. lepturus*.

Caligus stromatei Krøyer, 1863

Material: 7 ♀♀, North Malabar (Ayikkara), 16.06.2017; 8 ♀♀, North Malabar (Azhikkal), 19.12.15; 110 ♀♀, Cochin (Kalamukku), 6.03.2017; 38 ♀♀, Cochin (Thoppumpadi), 6.03.2017, all on *Pampus argenteus*.

Previous records in India: South Kerala (Vizhinjam) [Pillai, 1967]; South Kerala (Vizhinjam) [Silas, Ummerkutty, 1967], all on *P. argenteus*.

Caligus triangularis Shiino, 1954

Material: 6 ♀♀, North Malabar (Ayikkara), 4.12.2013, on *Parajulis poecilepterus*.

Previous records in India: North Malabar (Ayikkara) [Aneesh, 2014], on *P. poecilepterus*.

Genus *Euryphorus* Milne Edwards, 1840*Euryphorus nordmannii* Milne Edwards, 1840

Material: 193 ♀♀, 52 ♂♂, North Malabar (Ayikkara), 6.03.2016; 225 ♀♀, North Malabar (Azhikkal), 2.08.2015; 19 ♀♀, 2 ♂♂, North Malabar (Madakkara), 5.12.2018; 128 ♀♀ (Kalamukku), 16.02.2016; 42 ♀♀, Cochin (Thoppumpadi), 16.02.2016, all on *Coryphaena hippurus*.

Records in India: South Kerala (Vizhinjam) [Pillai, 1964]; on *C. equiselis*, *C. hippurus* and *Thunnus albacares*.

Genus *Hermilius* Heller, 1865*Hermilius pyrivertris* Heller, 1865

Material: 102 ♀♀, North Malabar, 1.02.2018, on *Netuma thalassina*; 41 ♀♀, Cochin (Kalamukku), 1.03.2017, on *Arius acutirostris*.

Records in India: South Kerala (Vizhinjam) [Pillai, 1963c], on *A. acutirostris*, *Galeichthys feliceps*, *N. thalassina*, and *Plicofollis platystomus*.

Genus *Parapetalus* Steenstrup et Lütken, 1861*Parapetalus hirsutus* (Bassett-Smith, 1898)

Material: 6 ♀♀, Malabar, Chombala, 17.11.2016, on *Leptomelanosoma indicum**; 22 ♀♀, North Malabar (Thaikadappuram), 28.09.2018, on *Eleutheronema tetradactylum*.

Records in India: South Kerala (Vizhinjam) [Bassett-Smith 1898a, Bombay; Pillai, 1962c], on *E. tetradactylum* and *Polydactylus plebeius*.

Parapetalus occidentalis Wilson C.B., 1908

Material: 23 ♀♀, Cochin (Kalamukku), 1.01.2016; 11 ♀♀, Cochin (Thoppumpadi), 14.01.2016, all on *Rachycentron canadum**.

Records in India: South Kerala [Pillai, 1962a]; North Malabar (Ayikkara) [Aneesh, 2014], on *Johnius* sp. and *R. canadum*.

Genus *Synestius* Steenstrup et Lütken, 1861*Synestius caliginus* Steenstrup et Lütken, 1861

Material: 371 ♀♀, 13 ♂♂, North Malabar (Ayikkara), 23.03.2016, on *Parastromateus niger**.

Records in India: South Kerala [Gnanamuthu 1950a, Chennai; Pillai, 1961]; North Malabar (Ayikkara) [Aneesh, 2014]; on *Pampus argenteus* and *P. niger*.

Genus *Tuxophorus* Wilson C.B., 1908*Tuxophorus caligodes* Wilson C.B., 1908

Material: 3 ♀♀, North Malabar (Ayikkara), 3.12.2013 on *Rachycentron canadum**.

Records in India: Bombay [Rangnekar, 1960]; South Kerala (Vizhinjam) [Pillai, 1961]; *Echeneis naucrates*, *Tylosurus acus acus*, *Urophycis floridana*; North Malabar (Ayikkara) [Aneesh, 2014], on *R. canadum*.

Tuxophorus cybii Nuñez-Ruivo et Fourmanoir, 1956

Material: 2 ♂♂, North Malabar (Ayikkara), 13.02.2015, on *Scomberomorus commerson*.

Records in India: South Kerala [Kurian, 1961], *Acanthocybium solandri*; North Malabar (Ayikkara) [Aneesh, 2014], on *S. commerson*.

Family Lernaepodidae Milne Edwards, 1840

Genus *Brachiella* Cuvier, 1830*Brachiella thynni* Cuvier, 1830

Material: 4 ♀♀, Malabar, Chombala, 19.12.2015, on *Otolithes ruber**.

Records in India: South Kerala (Vizhinjam) [Pillai, 1962d], on *Acanthocybium solandri*, *Argyrosomus regius*, *Chirocentrus dorab*, *Pomatomus saltatrix*, *Sciaena umbra*, *Scomberomorus cavalla*, *S. lineolatus*, *Thunnus albacares*, and *Thunnus thynnus*.

Brachiella trichiuri Gnanamuthu, 1951

Material: 2 ♀♀, North Malabar (Ayikkara), 25.09.2018, on *Lepturacanthus savala*; 16 ♀♀, North Malabar (Madakkara), 11.09.2018, on *L. savala*; 39 ♀♀, North Malabar (Ayikkara), 4.04.2016, on *Trichiurus lepturus*; 28 ♀♀, Cochin (Kalamukku), 10.12.2015, on *T. lepturus*; 12 ♀♀, Cochin (Thoppumpadi), 14.12.2015, on *T. lepturus*.

Records in India: South Kerala (Vizhinjam) [Gnanamuthu, 1951; Chennai; Pillai, 1968]; North Malabar (Ayikkara) [Aneesh, 2014]; on *L. savala* and *T. lepturus*.

Genus *Clavellisa* Wilson, 1915*Clavellisa dussumieriae* Gnanamuthu, 1948

Material: 23 ♀♀, North Malabar (Ayikkara), 8.08.2015, on *Sardinella fimbriata**.

Records in India: South Kerala (Vizhinjam) [Gnanamuthu, 1947b; Chennai; Pillai, 1962b], on *Dussumieria acuta*, *D. elopsoides*; North Malabar (Ayikkara) [Aneesh, 2014], on *D. elopsoides*.

Clavellisa ilishae Pillai, 1962

Material: 54 ♀♀, North Malabar (Ayikkara), 7.10.2017, on *Sardinella longiceps**; 88 ♀♀, North Malabar (Ayikkara), 13.07.2015, on *S. fimbriata**; 46 ♀♀, Cochin (Kalamukku), 23.03.2017, on *S. fimbriata**.

Records in India: Odisha (Chilka lake) [Tripathi, 1962b]; Kolkatha (Hoogly) [Tripathi, 1962b]; South Kerala (Vizhinjam) [Pillai, 1962b]; North Malabar (Ayikkara) [Aneesh, 2014]; on *Ilisha filigera* and *Tenualosa ilisha*.

Clavellisa obcordatus Rangnekar, 1957

Material: 4 ♀♀, North Malabar (Ayikkara), 16.06.2017, on *Thryssa mystax**; 8 ♀♀, North Malabar (Madakkara), 21.11.2018, on *T. mystax**; 23 ♀♀, North Malabar (Ayikkara), 6.03.2016, on *T. setirostris**; 12 ♀♀, North Malabar (Azhikkal), 2.08.2015, on *T. setirostris**; 42 ♀♀, North Malabar (Ayikkara), 13.10.2015, on *T. malabarica*; 16 ♀♀, North Malabar (Azhikkal), 2.08.2015, on *T. malabarica*; 170 ♀♀, Cochin (Kalamukku), 26.03.2015, on *T. malabarica*; 32 ♀♀, Cochin (Kalamukku), 21.04.2015, on *Pellona ditchela**.

Records in India: Bombay [Rangnekar, 1957a]; South Kerala (Vizhinjam) [Pillai, 1962b], on *Nematalosa nasus* and *T. malabarica*.

Clavellisa phasa Tripathi, 1962

Material: 118 ♀♀, North Malabar (Ayikkara), 4.03.2015, on *Coilia dussumieri*.

Records in India: Kolkatha (Hoogly) [Tripathi, 1962b], on *C. dussumieri* and *Setipinna phasa*.

Genus *Naobranchia* Hesse, 1863*Naobranchia cygniformis* Hesse, 1863

Material: 11 ♀♀, North Malabar (Ayikkara), 3.12.2015, on *Anodontostoma chacunda**.

Naobranchia vermiformis Rangnekar, 1956

Material: 2 ♀♀, North Malabar (Ayikkara), 27.01.2018; 18 ♀♀, Cochin (Kalamukku), 3.12.2018; 11 ♀♀, Cochin (Thoppumpadi), 26.09.2017, all on *Rastrelliger kanagurta**.

Records in India: Bombay [Rangnekar, 1956]; North Malabar (Ayikkara) [Aneesh, 2014], on *Tenualosa toli*.

Genus *Parabrachiella* Wilson C.B., 1915*Parabrachiella albida* (Rangnekar, 1956)

Material: 5 ♀♀, North Malabar (Ayikkara), 3.08.2017; 20 ♀♀, North Malabar (Madakkara), 11.09.2018; 55 ♀♀, Cochin (Kalamukku), 3.08.2015; 15 ♀♀, Cochin (Thoppumpadi), 3.08.2015, all on *Otolithes ruber*.

Records in India: Bombay [Rangnekar, 1956]; Odisha [Tripathi, 1962a]; South Kerala (Vizhinjam) [Pillai, 1968d]; on *Johnius glaucus* and *O. ruber*.

Parabrachiella otolithi (Pillai, 1962)

Material: 2 ♀♀, Cochin (Kalamukku), 23.03.2017, on *Otolithes cuvieri**.

Records in India: South Kerala (Vizhinjam) [Pillai, 1967d], on *O. ruber*.

Genus *Thysanote* Krøyer, 1863*Thysanote appendiculata* (Steenstrup et Lütken, 1861)

Material: 16 ♀♀, North Malabar (Ayikkara), 14.04.2014, on *Parastromateus niger**.

Records in India: Bombay [Basset-Smith, 1898a]; South Kerala (Vizhinjam) [Gnanamuthu, 1950c, Chennai; Pillai, 1967]; North Malabar (Ayikkara) [Aneesh, 2014]; on *P. niger*.

Thysanote eleutheronema Rangnekar, 1961

Material: 2 ♀♀, North Malabar (Madakkara), 28.09.2018, on *Eleutheronema tetradactylum*.

Records in India: Bombay [Rangnekar, 1961]; Kolkatha [Tripathi, 1962b]; South Kerala (Vizhinjam) [Pillai, 1967d], on *E. tetradactylum* and *Polydactylus plebeius*.

Family Lernanthropidae Kabata, 1979

Genus *Lernanthropinus* Ho et Do, 1985*Lernanthropinus decapteri* (Pillai, 1964)

Material: 19 ♀♀, North Malabar (Ayikkara), 4.11.2015, on *Decapterus russelli*; 24 ♀♀, North Malabar (Azhikkal), 2.08.2015, on *D. russelli*; 126 ♀♀, Cochin (Kalamukku), 29.09.2015, on *Thyssa malabarica**.

Records in India: South Kerala (Vizhinjam) [Pillai, 1967]; North Malabar (Ayikkara) [Aneesh, 2014], all on *D. russelli*.

Lernanthropinus forficatus (Redkar, Rangnekar et Murti, 1949)

Material: 4 ♀♀, North Malabar (Ayikkara), 26.10.2017, on *Lepturacanthus savala*; 93 ♀♀, North Malabar (Ayikkara), 13.03.2016, on *Trichiurus lepturus*; 24 ♀♀, Cochin (Kalamukku), 21.10.2015, on *T. lepturus*; 16 ♀♀, Cochin (Thoppumpadi), 14.12.2015, on *T. lepturus*.

Records in India: Bombay [Redkar *et al.*, 1949]; South Kerala (Vizhinjam) [Pillai, 1967d], on *Lepturacanthus savala* and *T. lepturus*.

Lernanthropinus sphyraenae (Yamaguti & Yamasu, 1959)

Material: 49 ♀♀, North Malabar (Azhikkal), 19.12.2015, on *Mene maculata**; 200 ♀♀, 12 ♂♂, North Malabar (Ayikkara), 7.10.2015, on *M. maculata*; 220 ♀♀, Cochin (Kalamukku), 21.10.2015; 199 ♀♀, Cochin (Thoppumpadi), 27.07.2015, on *M. maculata**.

Lernanthropinus temminckii (von Nordmann, 1864)

Material: 17 ♀♀, North Malabar (Ayikkara), 11.10.2017, on *Saurida tumbil*; 40 ♀♀, North Malabar (Ayikkara), 3.11.2015, on *S. undosquamis**; 76 ♀♀, North Malabar (Azhikkal), 13.12.2015, on *S. undosquamis**.

Records in India: South Kerala (Vizhinjam) [Pillai, 1967], on *S. tumbil*.

Genus *Lernanthropus* de Blainville, 1822*Lernanthropus abitocephalus* Tripathi, 1962

Material: 6 ♀♀, North Malabar (Ayikkara), 27.01.2014, on *Nibeia maculata**.

Records in India: Odisha (Puri) [Tripathi, 1962a]; Bombay [Rangnekar, Murti, 1961]; on *Pomadasyss maculatus*.

Lernanthropus belones Krøyer, 1863

Material: 976 ♀♀, 92 ♂♂, North Malabar (Azhikkal), 1.10.2014, on *Ablennes hians**; 200 ♀♀, 52 ♂♂, North Malabar (Azhikkal), 15.03.2015, on *Strongylura leiura**.

Lernanthropus brevicephalus Rangnekar, 1957

Material: 19 ♀♀, Cochin (Thoppumpadi), 9.02.2016, on *Lutjanus sanguineus**.

Records in India: South Kerala (Vizhinjam) [Rangnekar, 1957, Bombay, Pillai, 1967], on *Elops senegalensis* and *Megalops cyprinoides*.

Lernanthropus cadenati Delamare Deboutteville et Nunes-Ruvio, 1954

Material: 33 ♀♀, North Malabar (Azhikkal), 19.07.2013, on *Megalops cyprinoides*.

Records in India: South Kerala (Vizhinjam) [Pillai, 1967], on *Elops senegalensis* and *M. cyprinoides*.

Lernanthropus corniger Yamaguti, 1954

Material: 136 ♀♀, 1 ♂, North Malabar (Ayikkara), 3.05.2015, on *Megalaspis cordyla**; 89 ♀♀, North Malabar (Madakkara), 6.01.2018, on *M. cordyla*; 26 ♀♀, North Malabar (Thaikkadappuram), 21.02.2018, on *M. cordyla*; 86 ♀♀, Cochin (Kalamukku), 20.08.2015, on *Alepes djedaba**; 124 ♀♀, Cochin (Kalamukku), 20.08.2015, on *M. cordyla*; 68 ♀♀, Cochin (Thoppumpadi), 2.06.2015, on *M. cordyla*.

Records in India: South Kerala (Vizhinjam) [Pillai, 1967]; Odisha (Puri) [Tripathi, 1962a]; North Malabar (Ayikkara) [Aneesh, 2014]; on *M. cordyla* and *Rastrelliger kanagurta*.

Lernanthropus dussumieria Gnanamuthu, 1949

Material: 17 ♀♀, Cochin (Kalamukku); 11 ♀♀, Cochin (Thoppumpadi), 11.11.2015, all on *Dussumieria acuta*.

Records in India: South Kerala (Vizhinjam) [Gnanamuthu, 1948b, Chennai; Pillai, 1967], on *D. acuta*; North Malabar (Ayikkara) [Aneesh, 2014], on *Scomberoides tol*.

Lernanthropus giganteus Krøyer, 1863

Material: 88 ♀♀, 1 ♂♂, North Malabar (Ayikkara), 7.10.2017, on *Alepes djedaba*†.

Lernanthropus ilishae Chin, 1948

Material: 8 ♀♀, North Malabar (Ayikkara), 23.05.2015, on *Opisthopterus tardoore**.

Lernanthropus indicus Pillai, 1967

Material: 1 ♀, North Malabar (Ayikkara), 25.06.2013, on *Caranx sexfasciatus**†.
Records in India: South Kerala (Vizhinjam) [Pillai, 1967], on *C. ignobilis*.

Lernanthropus koenigii Steenstrup et Lütken, 1861

Material: 4 ♀♀, North Malabar (Ayikkara), 18.02.2014 on *Carangoides coeruleopinnatus**†.
Records in India: Chennai [Gnanamuthu, 1950b]; North Malabar (Ayikkara) [Aneesh, 2014]; on *Parastromateus niger* and *Peprilus paru*.

Lernanthropus latis Yamaguti, 1954

Material: 1 ♀, Cochin (Kalamukku), 23.03.2017, on *Otolithes cuvieri**.
Records in India: Odisha and Bengal [Tripathi, 1962a], on *Lates calcarifer*.

Lernanthropus leiognathi Tripathi, 1962

Material: 440 ♀♀, 2 ♂♂, North Malabar (Azhikkal), 23.05.2015, on *Eubleekeria splendens**; 4 ♀♀, North Malabar (Azhikkal), 25.04.2013, on *Equulites elongatus**; 8 ♀♀, North Malabar (Azhikkal), 28.10.2013, on *Leiognathus brevisrostris**; 23 ♀♀, North Malabar (Azhikkal), 30.10.2013, on *L. daura*; 10 ♀♀, North Malabar (Azhikkal), 12.07.2013, on *L. equulus**; 1 ♀, North Malabar (Azhikkal), 12.08.2013, on *L. fasciatus**; 7 ♀♀, North Malabar (Azhikkal), 12.08.2013, on *Nuchequula blochii**; 19 ♀♀, North Malabar (Azhikkal), 25.04.2013, on *Photopectoralis bindus**.
Records in India: Odisha [Tripathi, 1962a], on *L.s daura* and *Secutor ruconius*.

Lernanthropus opisthopteri Pillai, 1964

Material: 10 ♀♀, North Malabar (Ayikkara), 13.07.2017, on *Opisthopterus tardoore*.
Records in India: South Kerala (Vizhinjam) [Pillai, 1967], on *O. tardoore*.

Lernanthropus otolithi Pillai, 1963

Material: 13 ♀♀, North Malabar (Azhikkal), 19.12.2015; 22 ♀♀, North Malabar (Madakkara), 18.04.2018; 62 ♀♀, Cochin (Kalamukku), 28.10.2015; 53 ♀♀, Cochin (Thoppumpadi), 2.11.2015, all on *Otolithes ruber*.
Records in India: South Kerala (Vizhinjam) [Pillai, 1967], on *O. ruber* and *Pterotolithus maculatus*.

Lernanthropus polynemi Richiardi, 1881

Material: 3 ♀♀, North Malabar (Madakkara), 28.09.2018, on *Eleutheronema tetradactylum*.
Records in India: Odisha (Puri) [Tripathi, 1962a]; South Kerala (Vizhinjam) [Pillai, 1966], on *E. tetradactylum*.

Lernanthropus sciaeni Gnanamuthu, 1947

Material: 2 ♀♀, North Malabar (Azhikkal), 22.06.2013, on *Johnius trachycephalus**; 15 ♀♀, Cochin (Thoppumpadi), 23.03.2017, on *J. glaucus*.
Records in India: South Kerala (Vizhinjam) [Gnanamuthu, 1947a; Chennai; Pillai, 1967], on *J. glaucus*.

Lernanthropus secutoris Pillai, 1963

Material: 42 ♀♀, North Malabar (Ayikkara), 30.10.2013, on *Secutor insidiator*; 5 ♀♀, North Malabar (Ayikkara), 21.01.2014, on *S. ruconius**.
Records in India: South Kerala (Vizhinjam) [Pillai, 1967], on *S. insidiator*.

Lernanthropus sillaginis Pillai, 1963

Material: 17 ♀♀, North Malabar (Madakkara), 18.04.2018; 9 ♀♀, North Malabar (Thaikadappuram), 24.02.2018, all on *Sillago sihama*†.
Records in India: South Kerala (Vizhinjam) [Pillai, 1967], on *S. sihama*.

Lernanthropus triangularis Pillai, 1963

Material: 1 ♀, North Malabar (Ayikkara), 12.07.2013, on *Argyrops filamentosus**†; 1 ♀, North Malabar (Ayikkara), 23.10.2014, on *Gerres erythrouros**†.
Records in India: South Kerala (Vizhinjam) [Pillai, 1963d], on *Gerres filamentosus*.

Lernanthropus tylosuri Richiardi, 1880

Material: 154 ♀♀, 9 ♂♂, North Malabar (Ayikkara), 4.11.2017, on *Strongylura leiura*†; 39 ♀♀, North Malabar (Ayikkara), 17.04.2016, on *S. strongylura*; 79 ♀♀, Cochin (Kalamukku), 18.6.2015, on *Hemiramphus lutkei**†; 95 ♀♀, Cochin (Kalamukku), 3.08.2015, on *S. strongylura*.
Records in India: South Kerala (Vizhinjam) [Pillai, 1963d], on *Ablennes hians*, *Platybelone argalus argalus*, *Strongylura anastomella*, *S. exilis*, *S. incisa*, *S. leiura*, *S. marina*, *S. strongylura*, *S. timucu*, *S. urvillii*, *Tylosurus acus acus*, *T. chorum*, *T. crocodilus crocodilus*, and *T. punctulatus*; North Malabar (Ayikkara) [Aneesh, 2014], on *S. leiura*, *S. strongylura*, and *T. crocodilus crocodilus*.

Lernanthropus villiersi Delamare Deboutteville et Nunes-Ruivo, 1954

Material: 2 ♀♀, North Malabar (Ayikkara), 18.07.2013, on *Rhynchopelates oxyrhynchus**.

Genus *Mitrapus* Song et Chen, 1976*Mitrapus engraulis* (Tripathi, 1962)

Material: 10 ♀♀, North Malabar (Ayikkara), 18.12.2014, on *Stolephorus baganensis**; 8 ♀♀, North Malabar (Ayikkara), 21.02.2015, on *S. tri**.
Records in India: Kolkatha, Hoogly [Tripathi, 1962a], on *Setipinna phasa*.

Mitrapus oblongus (Pillai, 1964)

Material: 5 ♀♀, North Malabar (Ayikkara), 29.06.2017, on *Scolopsis bimaculata**; 3 ♀♀, North Malabar (Madakkara), 24.05.2018, on *Sardinella fimbriata*; 6 ♀♀, North Malabar (Ayikkara), 21.11.2018, on *S. fimbriata*; 39 ♀♀, Cochin (Kalamukku), 23.03.2017, on *S. fimbriata*.
Records in India: South Kerala (Vizhinjam) [Pillai, 1967]; North Malabar (Ayikkara) [Aneesh, 2014], all on *S. fimbriata*.

Genus *Norion* von Nordmann, 1864*Norion priacanthi* (Kirtisinghe, 1956)

Material: 387 ♀♀, 4 ♂♂, North Malabar (Ayikkara), 12.03.2016; 83 ♀♀, North Malabar (Madakkara), 20.09.2018; 166 ♀♀, Cochin (Kalamukku), 26.10.2015; 90 ♀♀, Cochin (Thoppumpadi), 26.10.2015; all on *Priacanthus hamrur*.

Records in India: South Kerala (Vizhinjam) [Pillai, 1967], on *P. hamrur*.

Genus *Sagum* Wilson C.B., 1913

Sagum epinepheli (Yamaguti et Yamasu, 1960)

Material: 114 ♀♀, 2 ♂♂, North Malabar (Ayikkara), 3.11.2015, on *Epinephelus diacanthus**†.

Records in India: South Kerala (Vizhinjam) [Pillai, Sebastian 1967], on *E. akaara* and *E. merra*.

Family Pennellidae Burmeister, 1835

Genus *Lernaeenicus* Lesueur, 1824

Lernaeenicus stromatei Gnanamuthu, 1953

Material: 151 ♀♀, North Malabar (Ayikkara), 10.02.2016, on *Parastromateus niger**†.

Records in India: Chennai [Gnanamuthu, 1953], on *P. niger*.

Genus *Peniculus* Nordmann, 1832

Peniculus fistula fistula Nordmann, 1832

Material: 37 ♀♀, North Malabar (Ayikkara), 8.11.2015, on *Anodontostoma chacunda**.

Family Pseudocycnidae Wilson C.B., 1922

Genus *Cybicola* Bassett-Smith, 1898

Cybicola armatus (Bassett-Smith, 1898)

Material: 1106 ♀♀, North Malabar (Ayikkara), 1.03.2016; 2 ♀♀, North Malabar (Madakkara), 2.10.2018; 1 ♀, North Malabar (Thaikadappuram), 21.02.2018; 254 ♀♀, Cochin (Kalamukku), 25.06.2015; 133 ♀♀ (Thoppumpadi), 16.07.2015; all on *Scomberomorus commerson*.

Records in India: Bombay [Bassett-Smith, 1898b]; South Kerala (Vizhinjam) [Gnanamuthu, 1950b; Chennai, Pillai, 1964]; North Malabar (Ayikkara) [Silas, Ummerkutty, 1967; Aneesh, 2014]; on *S. commerson*, *S. guttatus*, and *S. queenslandicus*.

Genus *Pseudocycnus* Heller, 1865

Pseudocycnus appendiculatus Heller, 1865

Material: 35 ♀♀, 3 ♂♂, North Malabar (Ayikkara), 8.08.2014, on *Thunnus albacares*; 12 ♀♀, North Malabar (Ayikkara), 28.04.2014, on *T. tonggol**; 185 ♀♀, 4 ♂♂, North Malabar (Ayikkara), 1.03.2016, on *Euthynnus affinis*; 16 ♀♀, 4 ♂♂, North Malabar (Madakkara), 6.01.2018, on *E. affinis*; 67 ♀♀ (Kalamukku), 28.06.2015, on *E. affinis*; 23 ♀♀, Cochin (Thoppumpadi), 10.11.2015, on *E. affinis*.

Records in India: South Kerala (Vizhinjam) [Pillai, 1964]; North Malabar (Ayikkara) [Aneesh, 2014]; on *E. affinis*, *E. alletteratus*, *Katsuwonus pelamis*, *Sarda sarda*, *Thunnus alalunga*, *T. albacares*, *T. obesus*, and *T. thynnus*.

Comments

This study of copepods living on the marine fish along the Kerala coast of India records a great diversity of parasitic copepods, several of which were previously unknown in the region. The impact of these parasites on their hosts remains unknown [Kabata, 1985]. The study also found a number of marine fishes that were

previously unknown on the Indian coast as hosts of copepods. A comparison of the obtained data with that of the great diversity of fish living in the coastal waters of India, until now mostly unexplored for parasites, indicates the potential presence in India's waters of an unexplored diversity of parasitic copepods. A more thorough study is needed of the diversity and ecology of parasitic copepods, both in the area studied and in other areas of the Indian coast, most of which remain unexplored. In addition, a thorough study of parasitic copepods and other invertebrates living on fishes is necessary to provide a better understanding of the potential impact of these parasites on commercially important fish and the marine environment and to assess the diversity and potential role of the parasitic copepods in the functioning of coastal communities around India, especially because these communities are rapidly changing under the conditions of the anthropogenic stress, pollution or climate change observed in the past years [Ramírez *et al.*, 2017].

Taking the above into account, it seems that the most promising direction for further study of the copepods parasitizing fish and invertebrates around India and the adjacent regions is the pursuit of an integrative approach to the study of the diversity of parasitic copepods, their phylogeography and their specificity to hosts [Ivanenko *et al.*, 2018]. Of particular importance in conducting such an investigation are the monitoring of the abundant diversity of parasitic copepods living on fish and invertebrates in various regions of India and the creation and maintenance of a collection of copepods and, equally important, tissue samples of their hosts that can be studied by molecular and morphological methods.

Acknowledgements. The research work of SK was funded by DST-SERB research project (No. EMR/2016/001163/AS, 28 August 2017) and DST-RFBR collaborative research project (No. INT/RUS/RFBR/P-330, 10.01.2019). The research of NRMV was funded by DST (DST/INSPIRE Fellowship/2017/IF170696, 04.07.2018). The technical support was provided by Dr. Priya Jose and Mr. P. Swaraj. The research of VNI was funded by RFBR according to the research project No. 18-54-45016 IND_a. Frank Ferrari commented on a draft of the manuscript; Oksana Korzhavina (Lomonosov Moscow State University) helped to prepare the map.

Authors contributions. NRMV, DOK, RK and MTMV, HAK collected and identified the specimens. SK initiated and supervised the project as well as took part in preparation of the manuscript. VNI took part in planning and preparation of the manuscript.

References

- Aneesh P.T. 2014. Studies on parasitic crustaceans infesting the fishes of Malabar Coast // Ph. D Thesis. Kannur University. P.1–147.
- Aneesh P.T., Helna A.K., Kumar A.B., Maran B.A.V. 2018. Redescription of *Lernaeenicus stromatei* Gnanamuthu, 1953 (Copepoda: Siphonostomatoida: Pennellidae) infesting the black pomfret *Parastromateus niger* (Bloch) from Indian waters // Zootaxa. Vol.4482. No.2. P.375–382.

- Aneesh P.T., Sudha K., Helna A.K., Anilkumar G., Trilles J.P. 2014. Multiple parasitic crustacean infestation on belonid fish, *Strongylurastrongylura* // ZooKeys. Vol.457. P.339–353.
- Aneesh P.T., Sudha K., Helna A.K., Arshad K., Anilkumar G., Trilles J.P. 2013. Simultaneous multiple parasitic crustacean infestation on banded needlefish, *Strongylura leiura* (Belonidae) from the Malabar Coast, India // International Journal of Scientific and Research Publications. Vol.3. No.7. P.367–375.
- Bassett-Smith P.W. 1898a. I. Some new parasitic Copepods found on fish at Bombay // Journal of Natural History. Vol.1. No.1. P.1–17.
- Bassett-Smith P.W. 1898b. Some new or rare parasitic copepods found on fish in the Indo-Tropical region // Annals and Magazine of Natural History. Ser.7. Vol.7. P.357–372.
- Bassett-Smith P.W. 1899. A systematic description of parasitic copepoda found on fish with an enumeration the known species // Proceedings of the Zoological Society of London. Vol.67. No.2. P.438–507.
- Bennet P.S. 1964. On *Bomolochus sardinellae* sp. nov. (Copepoda: Cyclopoida) parasitic on *Sardinella albella* // Journal of the Marine Biological Association of India. Vol.6. 84–88.
- Bennet P.S. 1966. *Bomolochus varunae* a new species of parasitic copepod from *Anodontostoma chacunda* // Journal of the Marine Biological Association of India. Vol.8. No.2. P.295–301.
- Bennet P.S. 1967. On *Bomolochus jonesi* sp. nov. parasitic on the eye of the Indian mackerel *Rastrelliger kanagurta* // Journal of the Marine Biological Association of India. Vol.9. No.1. P.132–136.
- Froese R., Pauly D. (eds.). 2019. FishBase. World Wide Web electronic publication // www.fishbase.org. (02/ 2019).
- Gnanamuthu C.P. 1947a. *Lernanthropus sciaenae* sp. nov. a copepod parasitic on the gills of *Sciaena glauca* from Madras // Records of Indian Museum. Vol.45. P.291–298.
- Gnanamuthu C.P. 1947b. A new copepod parasite *Clavellisa dussumieriae* belonging to the subfamily Ñlavellinae from the gills of a Madras fish // Proceedings of the Zoological Society of London. Vol.117. No.4. P.748–755.
- Gnanamuthu C.P. 1947c. *Bomolochus multispinosa* sp. nov. and ergasilid copepod observed in copulation // Records of Indian Museum. Vol.45. P.309–319.
- Gnanamuthu C. P. 1948a. Notes on the anatomy and physiology of *Caligus savala* n.sp., a parasitic copepod from Madras plankton // Proceedings of the Zoological Society of London. Vol.118. No.3. P.591–606.
- Gnanamuthu C.P. 1948b. A new copepod parasite *Lernanthropus dussumieria* n.sp. from the gills of a marine fish // Parasitology. Vol.39. No.3&4. P.209–213.
- Gnanamuthu C.P. 1949. Two male parasitic copepods from Madras // Annals and Magazine of Natural History. Ser.12. Vol.2. No.17. P.359–367.
- Gnanamuthu C.P. 1950a. *Syneustius caliginus* Steenstrup & Lutken a copepod parasite of the grey pomfret // Records of the Indian Museum. Vol.47. P.253–258.
- Gnanamuthu C.P. 1950b. Two dichelesthid copepods from Madras fish // Parasitology. Vol.40. No.3&4. P.276–282.
- Gnanamuthu C.P. 1950c. *Thysanote appendiculata* (Steenstrup and Lutken) lernaepodid parasitic on the gills of the grey pomfret // Records of the Indian Museum. Vol.47. P.259–264.
- Gnanamuthu C.P. 1951. *Brachiella trichiuri* n. sp. a copepod parasite in mouth cavity of the ribbon fish // Spolia zeylanica. Vol.26. P.13–15.
- Gnanamuthu G.P. 1953. Three lernaeid copepods parasitic on South Indian fishes // Journal of Parasitology. Vol.39. No.1. P.1–8.
- Hameed S.M. 1976. Description of a new species of *Anuretes* (Copepoda: Caligidae) from Kerala // Hydrobiologia. Vol.51. No.1. P.39–42.
- Hammed S.M., Pillai N.K. 1973. Description of a new species of *Caligus* (Crustacea: Copepoda) from Kerala // Zoological Anzeiger. Vol.191. P.114–118.
- Helna A.K., Aneesh P.T., Arshad K., Sudha K. 2013. Occurrence of *Caligus* sp. a parasitic copepod (Crustacea) infesting the commercially exploited fishes along the Malabar coast // Journal of Basic and Applied Biology. Vol.7. No.3. P.28–30.
- Helna A.K., Sudha K., Aneesh P.T., Anilkumar G. 2018. *Caligus cybii* (Caligidae, Copepoda) parasitising the commercially exploited seer fish, *Scomberomorus commerson*, from the Malabar Coast (India) – occurrence and adaptations // Turkish Journal of Fisheries and Aquatic Sciences. Vol.18. No.3. P.445–455.
- Helna A.K., Sudha K., Aneesh P.T., Piasecki W., Anilkumar G. 2016. A case of persisting massive infection of *Scomberomorus commerson*, a commercially exploited scombrid fish, with *Cybicola armatus* (Copepoda: Siphonostomatoida: Pseudocycnidae) // Acta parasitologica. Vol.61. No.4. P.836–848.
- Ho J.S., Jayarajan P., Radhakrishnan S. 1992. Copepods of the family Ergasilidae (Poecilostomatoida) parasitic on coastal fishes of Kerala, India // Journal of Natural History. Vol.26. No.6. P.1227–1241.
- Ivanenko V.N., Hoeksema B.W., Mudrova S.V., Nikitin M.A., Martínez A., Rinskaya-Korsakova N.N., Berumen M.L., Fontaneto D. 2018. Lack of host specificity of copepod crustaceans associated with mushroom corals in the Red Sea // Molecular Phylogenetics and Evolution. Vol.127. P.770–780.
- Kabata Z. 1985. Parasites and diseases of fish cultured in the tropics. London: Taylor & Francis Ltd. 318 p.
- Kirtisinghe P. 1964. A review of the parasitic copepods of fish recorded from Ceylon with description of additional forms // Bulletin of the Fisheries Research Station, Ceylon. Vol.17. No.1. P.45–132.
- Kurian C.V. 1955. Parasitic copepods of fishes from Travancore Cochin // Bulletin of Research Institute, University of Travancore. Vol.4. P.103–116.
- Kurian C.V. 1961. Parasitic copepods of fishes from Kerala // Bulletin of Research Institute, University of Kerala. Vol.8. P.63–77.
- Pillai N.K. 1961. Copepods parasitic on south Indian fishes. Pt. 1. Caligidae // Bulletin of Research Institute, University of Kerala. Vol.8. P.87–130.
- Pillai N.K. 1962a. Revision of the genera *Parapetalus* Steenstrup & Lutken and *Pseudopetalus* nov. // Crustaceana. Vol.3. 285–303.
- Pillai N.K. 1962b. Copepods parasitic on South Indian Fishes. Families Lernaneopodidae and Naobranchidae // Journal of the Marine Biological Association of India. Vol.4. 58–94.
- Pillai N.K. 1963a. Observations on the synonymy of *Caligus coryphaenae* Stp. & Lutk. // Annals and Magazine of Natural History. Ser.13. Vol.13. No.57. P.513–522.
- Pillai N.K. 1963b. Copepods parasitic on South Indian fishes. Family Caligidae // Journal of the Marine Biological Association of India. Vol.5. P.68–96.
- Pillai N.K. 1963c. A revision of the genus *Hermilius* (Copepoda-Caligidae) // Journal of the Zoological Society of India. Vol.14. P.179–187.
- Pillai N.K. 1963d. Copepods parasitic on South Indian fishes. Family Anthosomidae I // Journal of Bombay Natural History Society. Vol.60. P.657–670.
- Pillai N.K. 1964. A miscellaneous collection of copepods parasitic on south Indian fishes // Journal of the Marine Biological Association of India. Vol.6. No.1. P.61–83.
- Pillai N.K. 1966. Notes on copepods parasitic on South Indian marine fishes // Journal of the Marine Biological Association of India. Vol.8. P.123–140.
- Pillai N.K. 1967. Copepods parasitic on Indian marine fishes. A review // Proceedings of Symposium on Crustacea, Cochin. Vol.5. P.1556–1680.
- Pillai N.K. 1968. Description of some species of *Brachiella* and *Clavellopsis* with comments on *Isobranchia* Heegaard // Crustaceana. Vol.1. P.119–135.
- Pillai N.K. 1969. Notes on some copepod parasites in the collection of the British Museum (N.H.) London // Journal of the Marine Biological Association of India. Vol.11. No.1&2. P.149–174.
- Pillai N.K. 1970. A few examples showing the effect of host on the morphological characters of copepod parasites // Journal of Parasitology. Vol.56. P.267.
- Pillai N.K. 1971. On the transfer of *Bomolochus varunae* Bennet to *Pseudorbitacolax* gen. nov. (Copepoda Bomolochidae) // Journal of the Zoological Society of India. Vol.23. P.13–19.

- Pillai N.K. 1973. Three new bomolochids parasitic on fishes of the Kerala coast // *Indian journal of fisheries*. Vol.20. No.2. P.487–496.
- Pillai N.K. 1985. The fauna of India: Copepod parasites of marine fishes // *Zoological Survey of India*. P.1–814.
- Pillai N.K., Natarajan P. 1977. Copepods parasitic on fishes of the Kerala coast // *Aquatic Biology*. Vol.2. P.19–43.
- Pillai N.K., Sebastian M.J. 1967. Redescription of *Sagum epinepheli* (Yamaguti & Yasu) with comments on the validity of *Pseudolernanthropus* (Copepoda Anthosomatidae) // *Crustaceana*. Vol.13. P.73–80.
- Ramírez F., Afan I., Davis L.S., Chiaradia A. 2017. Climate impacts on global hot spots of marine biodiversity // *Science Advances*. Vol.3. No.2. e1601198.
- Rangnekar M.P. 1956. Parasitic copepods from marine fishes of Bombay // *Journal of University of Bombay*. Vol.24. P.42–65.
- Rangnekar M.P. 1957. Copepod parasites of the family Argulidae, Caligidae, Dicheilidae and Lernaeopodidae // *Journal of University of Bombay*. Vol.26. No.3. P.8–20.
- Rangnekar M.P. 1959. Parasitic copepods from fishes of the western coast of India with description of one new and redescription of four known species // *Journal of the University of Bombay*. Vol.28. P.43–58.
- Rangnekar M.P. 1960. *Tuxophorus caligodes* Wilson a copepod parasitic on a local fish // *Journal of Biological Sciences*. Vol.3. 20–25.
- Rangnekar M.P. 1961. Copepods parasitic on fishes of Bombay. 1. Lernaeopodida // *Journal of University of Bombay*. Vol.29. P.193–205.
- Rao T.S. 1950. On a new caligid parasite from the Indian hammerhead shark // *Proceedings of the Indian Academy of Sciences – Section B*. Vol.31. No.6. P.302–307.
- Redkar M.V., Rangnekar P.G., Murti N.N. 1949. Four new species of parasitic copepods from the marine fishes of Bombay // *Journal of University of Bombay*. Vol.18. P.36–50.
- Rijin K., Sudha K., Vineesh P.J., Anilkumar G. 2018. Seasonal variation in the occurrence of parasitic isopods and copepods (Crustacea) infecting the clupeidae fishes of Malabar coast, India // *Turkish Journal of Fisheries and Aquatic Sciences*. Vol.19. No.3. P.241–249.
- Santhosh B. 2000. Metazoan parasites of mullets of Kerala coast: Taxonomy and community characteristics. Ph.D Thesis, University of Kerala.
- Sebastian M.J. 1964. *Taeniacanthus dentatus* sp. nov. a copepod parasite of the fish *Bembrops caudimaculata* Steindachner // *Journal of the Marine Biological Association of India*. Vol.6. 94–97.
- Sebastian M.J. 1966. On a new species of *Lernaeenicus*, *L. bataviensis* (Copepoda – Lernaeidae) with a key for the identification of the Indian species // *Journal of the Marine Biological Association of India*. Vol.1. P.114–118.
- Sebastian M.J., George K.C. 1964. *Lernaeenicus anchoviellae* n. sp. (Copepoda – Lernaeidae) parasitic on *Anchoviella bataviensis* (Hardenberg) with descriptions of its three post-larval stages // *Journal of the Marine Biological Association of India*. Vol.6. No.2. P.235–240.
- Silas E.G., Ummerkutty A.N.P. 1967. Parasites of scombroid fishes Part II: Parasitic copepod // *Symposium on scomberoid fishes, India*. Vol. 3. P.876–993.
- Thomas M.M. 1967. A new parasitic copepod, *Caligus krishnai*, from the mackerel tuna *Euthynnus affinis affinis* (Cantor) // *Journal of the Marine Biological Association of India*. Vol. 9. No.1. P.137–140.
- Tripathi Y.R. 1960. Parasitic copepods from Indian fishes. 1. Family Chondracanthidae Milne Edwards 1840 // *Journal of the Zoological Society of India*. Vol.12. P.51–59.
- Tripathi Y.R. 1962a. Parasitic copepods from Indian fishes. III. Family Anthosomatidae and Disheleistiidae // *Proceedings of the first All-Indian Congress of Zoology*. Vol 2. P.191–217.
- Tripathi Y.R. 1962b. Parasitic copepods from Indian fishes. VI. Achtheriformes // *Proceedings of the first All-Indian Congress of Zoology*. Vol.2. P.218–233.
- Vinoth R., Ajith Kumar T.T., Ravichandran S., Gopi, M., Rameshkumar G. 2010. Infestation of copepod parasites in the food fishes of Vellar estuary, southeast coast of India // *Acta Parasitologica Globalis*. Vol.1. No.1. P.1–5.
- WoRMS. 2019. World Register of Marine Species. Available from <http://www.marinespecies.org> at VLIZ. Accessed 2019-06-02. doi:10.14284/170
- Yamaguti S. 1963. Parasitic Copepoda and Branchiura of fishes. New York: Interscience Publishers. Vol.1&2. 1104 p.

Responsible editor K.G. Mikhailov